




Assembly instructions
Notice de montage
Montage instructies
Montageanleitung
Istruzioni di montaggio
Instrucciones de montaje
Инструкция по сборке
Instrukcje montażu







PARTS AND TOOLS LIST


NO	Name	Qty
1	Support Beam	2
2	Foot	3
3	M8*16 Screw	12
4	Bracket	2
5	Leg	3
6	M6*10 Screw	16
7	M8*10 Screw	4
8	Connection Plate	1
9	4mm Hex Spanner	1
10	5mm Hex Spanner	1
11	M6*12 Screw	12
12	M6*16 Screw	4
13	M6*16 Screw	6
14	Rubber Cushion	14
15	ST3.5*19 Screw	7
16	ST4.8*19 Screw	16
17	Cable Clip	5
18	Adaptor	1
19	Handset	1
20	Power Cable	1




STEP 1



STEP 2




M6*12 SCREW 4PCS



4MM HEX SPANNER




STEP 3




M8*16 SCREW 4PCS




5MM HEX SPANNER




STEP 4




M6*12 SCREW 4PCS




M8*16 SCREW 4PCS




4MM HEX SPANNER




5MM HEX SPANNER





M6*16 SCREW 4PCS




M8*16 SCREW 4PCS




4MM HEX SPANNER




5MM HEX SPANNER




STEP 6




M8*10 SCREW 4PCS



5MM HEX SPANNER




STEP 7



RUBBER CUSHION 14PCS





M6*12 SCREW 4PCS



4MM HEX SPANNER





EN: Do not use ST4.8*19 screws for a table top that is thinner than 20 mm

FR: N'utilisez pas les vis ST4.8*19 pour un plateau de table plus mince que 20 mm

NL: Gebruik geen ST4.8*19 schroeven voor een tafelblad dat dunner is dan 20 mm


IT: Non usi ST4.8*19 viti per un piano da tavolo più sottile di 20 mm

ES: No utilice tornillos ST4.8*19 para un tablero de mesa que sea más delgado que 20 mm



DE: Verwenden Sie keine Schrauben ST4.8*19 für eine Tischplatte, die dünner ist als 20 mm

RU: Не используйте ST4.8*19 винтов для столешницы, которая тоньше 20 мм

PL: Nie należy używać ST4.8*19 śrub do blatu, która jest cieńsza 20 mm



or



MAX.
150

KG

ST3.5*19 SCREW 5PCS



CABLE CLIP

